Abstract

The Neotropical species and genera of the tribe Euderomphalini (Eulophidae: Entedoninae) are revised. Five genera are described as new: Cabeza, including six species (baeostigma (9, 8), canaliculata (9), laticeps (8), petiolata (\mathfrak{P}) , planiscapus (\mathfrak{P}) , ugaldei (\mathfrak{P})); Itahipeus, including two species (brasilicola $(\mathfrak{P}, \mathfrak{T})$, euryceps (\mathfrak{T})); Monterrondo, including one species (aphelosoma (9)); Sifraneurus, including one species (strigifer (9)); Xenopomphale, including one species (sulcata (\$\mathbb{Q}\$)); all above mentioned species are described as new. Five additional genera are included: Aleuroctonus LaSalle & Schauff, with four species, one described previously: vittatus (Dozier) (\mathcal{P} , \mathcal{T}), and three described here: latiscapus (\mathcal{P}), marki, (\mathcal{P} , \mathcal{T}) and metallicus (\mathcal{P}); Entedononecremnus Girault, with 14 species, two described previously: krauteri Zolnerowich & Rose (9, 8), unicus Girault $(\mathfrak{P}, \mathfrak{G})$, and 12 described here: bennetti $(\mathfrak{P}, \mathfrak{G})$, bimaculatus $(\mathfrak{P}, \mathfrak{G})$, convexus $(\mathfrak{P}, \mathfrak{G})$, crassicornis $(\mathfrak{P},\mathfrak{F})$, depressus (\mathfrak{P}) , fulgens (\mathfrak{P}) , hansoni $(\mathfrak{P},\mathfrak{F})$, imdasus $(\mathfrak{P},\mathfrak{F})$, parfer $(\mathfrak{P},\mathfrak{F})$, reticulatus (\mathfrak{P}) , tripar (\mathfrak{P}) and unicarinatus (2); Euderomphale Girault, with two species, one described previously: flavimedia (Howard), and one described here: sulciscapus (9, 8); Neopomphale LaSalle & Schauff, with 20 species, two described previously: aleurothrixi (Dozier) (\, \mathfrak{\pi}\), quercicola (Dozier) (\, \mathfrak{\pi}\), and 18 described here: azofeifai (\mathfrak{\pi}\), cerrobius (\mathfrak{F}), depilis (\mathfrak{F}), dichrous (\mathfrak{F} , \mathfrak{F}), erecta (\mathfrak{F}), graciliclava (\mathfrak{F}), longicornis (\mathfrak{F}), longipilis (\mathfrak{F} , \mathfrak{F}), nonaequa $(9, \delta)$, noyesi (9), pinguicornis $(9, \delta)$, prymna (9), rubescens $(9, \delta)$, rubii (9), silvestris (δ) , transversa (2), umbonata (2, 3), xenipennis (2); Dasyomphale LaSalle & Schauff, including one species (chilensis LaSalle & Schauff). The genera are placed in either one of three genus-groups, one of which is newly created. The species Euderomphale quercicola Dozier is newly combined to Neopomphale. Lectotypes are designated for Entedononecremnus unicus Girault, Euderomphale quercicola Dozier and Gyrolasia flavimedia Howard. Key to genera and species are included.